

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/825,303	04/16/2004	Yasushi Takai	0171-1056P	7758
2292	7590 08/24/2005		EXAM	INER
	EWART KOLASCH	MCNEIL, JENNIFER C		
PO BOX 747 FALLS CHURCH, VA 22040-0747			ART UNIT	PAPER NUMBER
	,		1775	

DATE MAILED: 08/24/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		h /		
	Application No.	Applicant(s)		
	10/825,303	TAKAI ET AL.		
Office Action Summary	Examiner	Art Unit		
	Jennifer C. McNeil	1775		
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet wi	th the correspondence address		
A SHORTENED STATUTORY PERIOD FOR REP THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a relif NO period for reply is specified above, the maximum statutory perions are to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the main earned patent term adjustment. See 37 CFR 1.704(b).	J. 1.136(a). In no event, however, may a re eply within the statutory minimum of thirt od will apply and will expire SIX (6) MON ute, cause the application to become AB	eply be timely filed y (30) days will be considered timely. THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).		
Status				
1) Responsive to communication(s) filed on RC	CE of 06/03/05.			
2a) ☐ This action is FINAL . 2b) ☐ This action is non-final. 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
Disposition of Claims		1		
4) ☐ Claim(s) 1-7 is/are pending in the application 4a) Of the above claim(s) is/are withdr 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-7 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and	rawn from consideration.			
Application Papers				
9) The specification is objected to by the Examination The drawing(s) filed on is/are: a) and a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the second sec	ccepted or b) objected to need do not be drawing(s) be held in abeyant ection is required if the drawing(ce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
12) Acknowledgment is made of a claim for foreigna) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the prapplication from the International Bure * See the attached detailed Office action for a list	ints have been received. Ints have been received in A iority documents have been Pau (PCT Rule 17.2(a)).	pplication No received in this National Stage		
Attachment(s)	🗖			
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)		ummary (PTO-413))/Mail Date		
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date		formal Patent Application (PTO-152)		

U.S. Patent and Trademark Office PTOL-326 (Rev. 1-04) Application/Control Number: 10/825,303 Page 2

Art Unit: 1775

DETAILED ACTION

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-3 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 1 of copending Application No. 10/715,473. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of '473 encompass the limitations of the instant claims in that the rare-earth containing oxides are considered commensurate with lanthanoid oxides, and additionally, as the articles are made of substantially the same materials, one would fully expect the characteristics to also be commensurate.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Application/Control Number: 10/825,303

Art Unit: 1775

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1, 2, and 7 are rejected under 35 U.S.C. 102(b) as being anticipated by Latta et al (US 4,526,629). Latta teaches an article comprising one or more monolayers of cerium oxide (oxidized cerium layer) over a niobium metal substrate. Latta teaches that the substrate may also comprise tantalum (col. 6, lines 5-10). Latta also teaches that the cerium oxide layer may also be terbium (col. 6, lines 3-5). While an intervening layer may be provided between the substrate and the rare earth layer, the claim language is open in which case additional structures may be present.

Claims 1-5, and 7 are rejected under 35 U.S.C. 102(b) as being anticipated by Subramanian (US 6,294,260). Subramanian teaches a barrier coating for turbine components. The barrier coating comprises an oxide with the base structure of $(A,B)_XO_Y$. A and B may be selected from rare earth elements such as La, Dy, Ho, Er, Gd, Yb, Eu, and Sm. Subramanian teaches that the substrate may be a superalloy with a composition including Cr.Al.Co.Ta.Mo.W (col. 1, lines 31-35).

Regarding claim 4, as stated above, both A and B may be a rare earth, such as Yb.

Regarding claim 5, the thickness of the layer may be 0.0112-0.254 cm.

Regarding claim 7, the process by which the product is made has not been shown to structurally define over the prior art.

Claims 1, 2, and 7 are rejected under 35 U.S.C. 102(a) as being anticipated by Maloney (US 6,177,200). Maloney teaches a ceramic material used as a thermal barrier on metal substrates. The ceramic material comprises the composition A₂B₂O₇, wherein A may be gadolinium, lanthanum, yttrium or mixtures thereof, and B may be zirconium, hafnium, titanium, and mixtures thereof. The substrate may be an iron,

Application/Control Number: 10/825,303

Art Unit: 1775

nickel, or cobalt based metal and containing chromium and aluminum and usually containing titanium and refractory metals. Other substrates that may be used include steels, and titanium alloys. Refractory metals is considered to include Mo, and Ta.

Regarding claim 7, the process by which the product is made has not been shown to structurally define over the prior art.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-3, 5, 6, and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beele (US 6,387,526) in view of Strangman (US 5,514,482). Beele teaches a thermal barrier layer including a substrate of an iron, cobalt or nickel superalloy and a layer of an oxide having the structure A₂B₂O₇, wherein A may be samarium, gadolinium or europium. Therefore this layer is a rare-earth containing oxide. Beele does not specifically teach a nickel superalloy substrate alloys with one of the elements of the instant claims. Nickel, iron, and cobalt superalloys are well known in the art of turbine engines. Strangman teaches some common nickel-superalloys as shown in Table 1. At least one of the alloys include Mo and/or Ta. It would have been obvious to one of ordinary skill in the art at the time of the invention to use on of the commonly known superalloys of Strangman as the superalloy substrate in Beele, as they are both used in turbine engine components for their high temperature durability.

Regarding claim 3, Beele teaches that ytterbium, samarium, or europium may be the rare-earth element.

Application/Control Number: 10/825,303

Art Unit: 1775

Regarding claim 5, Beele does not teach a specific thickness of the thermal barrier coating, however, absent a showing of unexpected results, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide a layer with sufficient thickness to provide the desired thermal barrier properties to the underlying substrate.

Regarding claim 6, an additional layer may be formed over the thermal barrier coating. The additional layer may comprise the same composition of the thermal barrier layer, wherein B is Hf or Zr, and A may be lanthanum (col. 6, lines 33-40).

Regarding claim 7, the process by which the product is made has not been shown to structurally define over the prior art.

Claims 1, 5, 6, and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heimberg et al (US 6,440,575) in view of Strangman (US 5,514,482). Heimberg teaches a ceramic thermal layer for turbine engine components. The substrate is a nickel, cobalt, or chromium based superalloy. The substrate is coated with a bonding layer which when the underlying layer contains lanthanum, leads to the formation of lanthanum oxide in the bonding layer. Heimberg does not specifically teach a nickel superalloy substrate alloyed with one of the elements in the instant claims. Nickel, iron, and cobalt superalloys are well known in the art of turbine engines. Strangman teaches some common nickel superalloys shown in Table 1. At least one of the alloys include Mo and/or Ta. It would have been obvious to one of ordinary skill in the art at the time of the invention to use on of the commonly known superalloys of Strangman as the superalloy substrate in Heimberg, as they are both used in turbine engine components for their high temperature durability.

Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Maloney (US 6,177,200).

Maloney teaches a ceramic coating on a metal substrate as discussed above, but does not specify the thickness of the ceramic coating. Absent a showing of unexpected results, it would have been obvious to one of

Art Unit: 1775

ordinary skill in the art at the time of the invention to provide a layer with sufficient thickness to provide the desired thermal barrier properties to the underlying substrate.

Response to Arguments

Applicant's arguments filed May 27, 2005 have been fully considered but they are not persuasive. Applicant argues that Subramanian does not disclose a substrate of Mo or Ta as required by the claims. Claim 1 specifically states "consisting essentially of a metal selected from the group consisting of Mo, and Ta". The superalloy taught by Subramanian is an alloy and may contain Ta, or Mo. There is no reference in the claims to a substrate that is based on Mo, Ta, W, Zr, or Ti, which appears to be applicant's intent. Regarding the phrase "consisting essentially of", the specification does not provide any reasons why any additional substrate constituents would affect the novel and basis characteristics of the article. Therefore, the substrates which include either Mo or Ta, or both, are considered to meet the limitation of "consisting essentially of" Mo or Ta.

Regarding Maloney, Beele, and Strangman, applicant makes a similar argument.

Application/Control Number: 10/825,303 Page 7

Art Unit: 1775

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be

directed to Jennifer C. McNeil whose telephone number is 571-272-1540. The examiner can normally be

reached on 9AM-6PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Deborah

Jones can be reached on 571-272-1535. The fax phone number for the organization where this application or

proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application

Information Retrieval (PAIR) system. Status information for published applications may be obtained from

either Private PAIR or Public PAIR. Status information for unpublished applications is available through

Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at

866-217-9197 (toll-free).

Jennifer McNeil

Primary Examiner

August 18, 2005